

First issue: Apr 11, 2008

Revised: Page 1 of 6

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

1. Product and Company Identification

Product Name : Dye Ink Magenta

Product Code : SPC-0258M

General Use : Ink jet printing ink

Product Description : Dye ink

MSDS Number :031-34W02MC

Manufacture

Company Name : Mimaki Engineering Co., Ltd

Address : 2182-3 Otsu, Shigeno, Tomi-shi, Nagano 389-0512 Japan

Telephone No. : +81-268-64-2413

Importer/Distributor Established in USA

Company Name : MIMAKI USA. INC.

Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A

Telephone No. : 1-678-730-0100 Emergency Telephone No. : +81-268-64-2413

2. Hazards Identification

Emergency Overview : Ink component is a Magenta liquid that cause eye, nose or throat

irritation, and that effects anesthesia, if inhales. Ink may flash, when under high temperature.

Avoid contact with eyes or clothing.

In the case of skin contact, wash with soap and water.

Keep out of reach of children.

Potential Health Effects

Inhalation : Intentional exposure to ink vapors (mist) will cause respiratory

irritation and anesthesia.

Eye Contact : Ink contact with eye will be irritating.

Skin Contact : Ink contact with skin may cause minimally irritation.

Ingestion : May cause upset stomach.

Carcinogens : None known.

Potential Environmental : Not available.

Effects



First issue: Apr 11, 2008

Revised: Page 2 of 6

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

3. Composition / Information On Ingredients

No	Chemical Name	Wt%	CAS No.	Chemical
				Formula
1	Glycerols	About 10	Trade Secret	Trade Secret
2	Organic materials	5-10	Trade Secret	Trade Secret
3	Dye(Naphthalene sulfonic acid derivative)	<5	Trade Secret	Trade Secret
4	TEGBE	About 10	143-22-6	$ m C_{10}H_{22}O_{4}$
5	Diethylene glycol	5-10	111-46-6	$\mathrm{C_4H_{10}O_3}$
6	Water	balance	7732-18-5	$ m H_2O$

4. First Aid Measures

Inhalation : Remove subject to ventilated fresh air.

If not breathing, give artificial respiration right away.

If breathing is difficult, give oxygen. Seek immediate medical attention.

Eye Contact : Immediately flush with room temperature, low pressure, and clean

water for at least 15 minutes. Seek medical attention if eye

irritation continues.

Skin Contact : Wash surface areas with soap and water. Wash soiled clothing before

rewearing. Consult a physician if irritation continues.

Ingestion : Seek medical advice; and attention if stomach continues to be upset.

Protection To First-Aiders : Not available.

5. Fire Fighting Measures

Flammable Properties : Not flammable.

Extinguishing Media : Dry chemical or carbon dioxide.

Fire Fighting : Extinguish to use fire fighting media or plentiful fog water. No

Instructions special fire fighting procedures are required other than breathing

apparatus.



First issue: Apr 11, 2008 Revised:

Page 3 of 6

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

6. Accidental Release Measures

Personal Precautions : No eye or skin protection required during clean-up. Use proper

ventilation.

Land Spill : If a spill occurs, use sponges to wipe-up ink, and then rinse with

damp cloth. Place waste in closed container for disposal.

Water Spill : Do not dispose of waste to the sewer.

7. Handling And Storage

Handling : Use proper ventilation and no fire in work place. Put protection

wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink ink. Do not dismantle cartridge. Make sure cartridge is dry before insertion into printer housing.

Storage : Do not store the cartridge in high or freezing temperatures.

Keep cartridge out of direct sunlight.

Do not store cartridges with oxidizing agents or explosives.

8. Exposure Controls / Personal Protection

Exposure Limit Values : Not available.

Exposure Controls

Occupational Exposure Controls

Engineering Controls : Not special measures required.

Personal Protection

Respiratory : Not required under suitable use as setting the cartridge on the

Protection printer; however, self-contained breathing apparatus or organic

canister mask is sufficient when used for work.

Hand Protection : Not required under suitable use as setting the cartridge on the

printer; however, wearing gloves is sufficient.



Eye Protection : Not required under suitable use as setting the cartridge on the

printer; however, wearing safety goggles is sufficient.



Product Name: Dye Ink Magenta MSDS No.031-34W02MC First issue: Apr 11, 2008

Revised: Page 4 of 6

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.



Skin Protection : Not required under suitable use as setting the cartridge on the

printer; however, wearing gloves is sufficient.



Environmental Exposure Controls

: Not established.

9. Physical And Chemical Properties

Appearance - Physical state : liquid

- Colour : Magenta

Odour : None

pH : 8.5-10.0 (20 degree C)

Boiling Point / Boiling Range : Not available.

Melting Point / Merting Range : Not available.

Flash Point : Not detected until 110 degree C

(closed cup, ASTM D3278)

Flammability(solid, gas) : Not available.

Relative density : 1.00-1.10 (20 degree C)

Solubility : Not available.
Water solubility : Complete

Viscosity : 3.0-4.0 (20 degree C)

VOC : 96.1 g/l

10. Stability And Reactivity

Conditions To Avoid : High and freezing temperatures.

Stability : Stable under temperature.

Materials To Avoid : Oxidizers and explosives

Hazardous Reactions/ : None

Decomposition Products



Product Name: Dye Ink Magenta MSDS No.031-34W02MC First issue: Apr 11, 2008

Revised:
Page 5 of 6

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

11. Toxicologocal Information

Acute Toxicity Oral LD₅₀ Dermal LD₅₀ Inhalant LC₅₀

>5000mg/kg(Rat)* >2000mg/kg(Rat)* No data available.

Eye Irritation : Minimal irritanting (Rabbit, OECD405)
Skin Irritation : Non irritanting (Rabbit OECD 404)

Sensitization : Non sensitizing (Guinea pig OECD 406)

Mutagenicity : Negative(Ames assay)

Carcinogenicity : Not contain any substances listed in IARC Monographs(1,2A and 2B)

12. Ecological Information

Ecotoxicity : No data available on the adverse effects of this ink on the

environment.

Persistence And : No data available on the adverse effects of this ink on the

Degradability environment.

Bioaccumulative : No data available on the adverse effects of this ink on the

Potential environment.

Other Adverse Effects : No data available.

13. Disposal Considerations

Disposal should be in accordance with federal, state, and local requirements.

Do not dump this product into sewers, on the ground or into any body of water.

14. Transport Information

UN Class/UN Number: Not applocable.

DOT, IMO, or IATA: Not hazardous classification

15. Regulatory Information

TSCA Section 4(a) Final : Not regulated.

Test Rules Regulated



First issue: Apr 11, 2008

Revised: Page 6 of 6

Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

TSCA Section 8(a) : Not regulated.

Preliminary Assessment

Information Rule(PAIR)

TSCA Section 8(a) : Not regulated.

Inventory Update Rule

TSCA Section12(b) : Not regulated.

One-Time Export

Notification Regulated

California Proposition 65 : Not regulated.

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and dose not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.

Revision history

Version	Date	Content
1.0	Apr 11, 2008	First issue.