

Product Name: Acid Dye Ink Ac300 Light Black SDS No. 031-38W321B First issue: 21-Aug-12 Revised: 18-Jul -13 Page 1 of 6

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

1. Identification

Product Name	Acid Dye Ink Ac300 Light Black	
Product Code	: AC300-LK-BB	
Ink Ver.	: 3	
General Use	: Ink jet printing ink	
Product Description	: Acid Dye Ink	
SDS Number	: 031-38W321B	
Manufacture		
Company Name	: Mimaki Engineering Co., Ltd	
Address	: 2182-3 Otsu, Shigeno, Tomi-shi, Nagano 389-0512 Japan	
Telephone No.	: +81-268-64-2413	
Importer/Distributor Established in USA		
Company Name	: MIMAKI USA. INC.	
Address	: 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A	
Telephone No.	: 1-678-730-0100	
Emergency Telephone No.	: +81-268-64-2413	

2. Hazards Identification

Emergency Overview	[:] Black liquid. Avoid contact with eyes or clothing. In the case of skin contact, wash with soap and water. Keep out of reach of children.
Potential Health Effects	
Inhalation	: Intentional exposure to ink vapors may cause respiratory irritation.
Eye Contact	: Ink contact with eye may be mildly irritating.
Skin Contact	: Ink contact with skin may cause irritation, swelling, or redness.
Ingestion	: May cause upset stomach.
Carcinogens	: No ingredients are listed by OSHA, IARC, or NTP as known or suspected carcinogens.
Potential Environmental	: Not available.
Effects	



Product Name: Acid Dye Ink Ac300 Light Black SDS No. 031-38W321B First issue: 21-Aug-12 Revised: 18-Jul -13 Page 2 of 6

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

3. Composition / Information On Ingredients

No Chemical Name	(In an incl. Name	Wt%	CAS No.	Chemical
	Chemical Name			Formula
1	Colorants	1-5	Trade Secret	Trade Secret
2	Glycerols	5-15	Trade Secret	Trade Secret
3	Organic materials	<3	Trade Secret	Trade Secret
4	Propane-1,2-diol	20-40	57-55-6	C3H8O2
5	Water	balance	7732-18-5	H_2O

OSHA Hazardous : Not hazardous. Components (29 CFR 1910. 1200)

4. First Aid Measures

Inhalation	: If difficulties occur after vapour/aerosol has been inhaled, remove to
	fresh air and seek medical attention.
Eye Contact	: Wash affected eyes for at least 15 minutes under running water with
	eyelids held open.
Skin Contact	: Wash thoroughly with soap and water.
Ingestion	: Rinse mouth and then drink plenty of water.
Protection To First-Aiders	: Not available.

5. Fire Fighting Measures

Flammable Properties	: Not flammable.
Extinguishing Media	: water spray, dry extinguishing media, foam, carbon dioxide
Fire Fighting	: Wear full fire-fighting turn-out gear (full bunker gear) and
Instructions	respiratory protection (self-contained breathing apparatus).



Product Name: Acid Dye Ink Ac300 Light Black SDS No. 031-38W321B First issue: 21-Aug-12 Revised: 18-Jul -13 Page 3 of 6

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

6. Accidental Release Measures			
6. Accidental Release Mo Personal Precautions Cleaning up Methods	 Wear appropriate personal protective equipment. Avoid release to the environment. Absorb spillage with an inert material, then place in a chemical waste container for later safe disposal. Earth may be shoveled to 		
	contain spillage and to avoid contamination of sewers and water cources.		

7. Handling And Storage

Handling	: Do not breathe (dust, vapor, mist, gas).
	Avoid contact with skin, eyes, or clothing.
	Wash thoroughly after handling.
	Destroy contaminated shoes in proper manner.
Storage	: Keep container tightly closed and in a cool place.
	Protect from temperatures below: 0 degree C.
	Protect from temperatures above: 40 degree C.

8. Exposure Controls / Personal Protection

Exposure Limit Values

None Established

Exposure Controls

Occupational Exposure Controls

Engineering Controls	: It is better to place local exhaust equipment.
Personal Protection	
Respiratory	: Wear respiratory protection if ventilation is inadequate. Breathing
Protection	protection if breathable aerosols/dust are formed.





Product Name: Acid Dye Ink Ac300 Light Black SDS No. 031-38W321B First issue: 21-Aug-12 Revised: 18-Jul -13 Page 4 of 6

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

Hand Protection	Chemical resistant protective gloves.	
Eye Protection	: Tightly fitting safety goggles(chemical goggles).	
	Safety Glasses	
Skin Protection	: To prevent ANY contact, wear impervious clothing such as gloves,	
	apron, boots, or whole body suits made from neoprene, as appropriate.	
	Protective Boots Gloves Full Suit	
Environmental Exposure Controls		
	: Not available.	

9. Physical And Chemical Properties

Appearance - Physical state	: liquid
- Color	: Black
Odor	: product specific
pH	: 7.0~10.0
Boiling Point / Boiling Range	: Not available
Melting Point / Melting Range	: Not available.
Flash Point	: Not applicable.
Flammability(solid, gas)	: Not available.
Specific Gravity	: 1.0~1.1
Solubility	: Not available.
Water solubility	: complete
Viscosity	: 3.0~10.0mPa.s(20 degree C)

10. Stability And Reactivity

Conditions To Avoid : High and freezing temperatures.



Product Name: Acid Dye Ink Ac300 Light Black SDS No. 031-38W321B First issue: 21-Aug-12 Revised: 18-Jul -13 Page 5 of 6

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

Stability	Stable
Materials To Avoid	: Not available.
Hazardous Reactions/	: No hazardous decomposition products if stored and handled as
Decomposition Products	prescribed/indicated.

11. Toxicological Information

Acute Toxicity	: Not available.
Eye Irritation	: May cause eye irritation.
Skin Irritation	: May cause skin irritation.
Sensitization	: Not available.
Mutagenicity	: Not available.

12. Ecological Information

Ecotoxicity	: Not available
Persistence And : Not available	
Degradability	
Bioaccumulative	: Not available.
Potential	
Other Adverse Effects	: Not available.

13. Disposal Considerations

Must be dumped or incinerated in accordance with local regulations.
Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.
Do not dump this product into sewers, on the ground or into any body of water.



Product Name: Acid Dye Ink Ac300 Light Black SDS No. 031-38W321B First issue: 21-Aug-12 Revised: 18-Jul -13 Page 6 of 6

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

14. Transport Information

Not classified as a dangerous good under transport regulations. (USDOT / IMDG / IATA / ICAO)

15. Regulatory Information

OSHA Status	: Not hazardous.
TSCA Status	: released / listed
SARA TitleIII	
Section 311/312	: Not hazardous.
(40 CFR 370)	

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and dose not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.

Revision history

Version	Date	Content
1.0	21-Aug-12	First issue.
2.0	10-May-13	An ink version is changed.
3.0	18-Jul-13	An ink version is changed.