

Product Name: UV ink LH-100/LF-200 Washing Liquid

SDS No. 037-C087438 First issue: 2023/04/10

Revised:

1. IDENTIFICATION

Product Identifier UV ink LH-100/LF-200 Washing Liquid

Product code SPC-0606FS-2

Ink Ver. 2

Recommended use of the chemical and

restrictions on use

Manufacturer

Cleaning solution for ink jet printer

MIMAKI ENGINEERING CO., LTD.

2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

+81-268-64-2413

Importer / Distributor MIMAKI USA, INC.

150 Satellite Boulevard NE, suite A, Suwanee, Georgia 30024, U.S.A.

+1-678-730-0170

Emergency Telephone No. +1 866 928 0789 (within United States only, Toll free)

+1 215 207 0061

2. HAZARDS IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of 29

CFR § 1910.1200

Serious eye damage/eye irritation Category 1

Hazardous to the Aquatic Environment - Acute Hazard

Category 2

Hazardous to the Aquatic Environment - Long Term Hazard

Category 2

GHS Label Elements

Symbols





Signal Word Danger

Hazard Statements H318 Cause serious eye damage

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face

protection. (P280)

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Immediately call a POISIN CENTER or doctor. (P310)

Collect spillage. (P391)

Storage None

Page 1 of 6



Product Name: UV ink LH-100/LF-200 Washing Liquid

SDS No. 037-C087438 First issue: 2023/04/10

Revised:

Disposal Dispose of waste in accordance with local,state and federal

regulations.(P501)

3. COMPOSITION / INFORMATION ON INGREDIENTS			
Substances or mixtures	Mixtures		
Chemical name	Contents	CAS number	
Higher Alcohols	35-45%	Trade Secret	
Polyethylene glycol mono butyl ether	35-45%	9004-77-7	
2.2.4-Trimethyl-1.3pentanediol	15-35%	6846-50-0	

Tilgitet / tileettete	33 13%	11440 000101
Polyethylene glycol mono butyl ether	35-45%	9004-77-7
2,2,4-Trimethyl-1,3,-pentanediol	15-35%	6846-50-0
diisobutyrate		
N,N-Dimethyloctadecan-1-ylamine	0-1%	124-28-7
A FIDOT_AID MEAGUIDES		

4. FIRST-AID MEASURES	
In case of inhalation	Remove person to fresh air and keep comfortable for breathing. Call
	a POISON CENTER or doctor/physician.
In case of skin contact	Wash with plenty of soap and water. Take off contaminated clothing
	and wash before re-use. Get medical attention if irritation develops.
In case of eye contact	Flush eyes with plenty of water for at least 15 minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Get
	immediate medical attention
In case of ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to
	an unconscious person. If vomiting occurs spontaneously, keep head
	below hips to prevent aspiration. Get medical attention.
	IF SWALLOWED: Call a doctor if you feel unwell.

5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media	carbon dioxide, regular dry chemical, water spray
Unsuitable extinguishing media	Do not use straight streams.
Specific hazards arising from the chemical	Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.
Special protective equipment and precautions for fire-fighters	Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.
6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective	Wear personal protective clothing and equipment, see Section 8.

precautions for fire-fighters	breathing apparatus (SCBA) for protection against possible exposure.
3. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective	Wear personal protective clothing and equipment, see Section 8.
equipment and emergency procedures	
	Large spills :Evacuate area.
	Ensure adequate ventilation.
Environmental precautions	Avoid release to the environment.
	Do not discharge into the drains, surface waters or ground water
	directly.
Methods and materials for containment	Small spills: Absorb with sand or other non-combustible material.



Product Name: UV ink LH-100/LF-200 Washing Liquid

SDS No. 037-C087438 First issue: 2023/04/10

Revised:

Collect spilled material in appropriate container for disposal. and cleaning up

> Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low

areas.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical measures Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an

eyewash facility and a safety shower.

Safe handling advice Wear protective gloves/protective clothing/eye protection/face

protection

Do not breathe dust/fume/gas/mist/vapours/spray.

Conditions for safe storage, including

any incompatibilities

Suitable storage conditions Store in well-ventilated place.

Keep away from incompatible materials.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters No data available

Use local exhaust ventilation in case of production of fume or mist. Appropriate engineering controls

Facilities storing or utilizing this material should be equipped with an

eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static

electricity.

Individual protection measures

Respiratory protection If necessary, wear respiratory protection. Hand protection If necessary, wear protective gloves.

Eye protection If necessary, wear protective eye protection.

Skin and body protection If necessary, wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State Liquid Color Clear

Odor Practically odorless

Odor threshold Not available pН Not available Not available Melting point **Boiling** point Not available

128°C(2,2,4-Trimethyl-1,3,-pentanediol diisobutyrate) Flash point

Evaporation rate Not available



Product Name: UV ink LH-100/LF-200 Washing Liquid

SDS No. 037-C087438 First issue: 2023/04/10

Revised:

Flammability(Solid, Gas) Not available

Flammability or explosive limits

Not available Lower Limit Not available Upper Limit Vapor pressure Not available Vapor density Not available

Specific Gravity (Density) 0.9 - 1.0

Solubility Sparingly soluble Not available Partition coefficient: n-octanol/water Auto-ignition temperature Not available Decomposition temperature Not available

11-13mPa • s(25°C) Viscosity

10. STABILITY AND REACTIVITY

Reactivity No information available.

Stable at standard temperatures and pressure. Chemical stability Possibility of hazardous reactions No decomposition if stored and applied as directed. Conditions to avoid Stable under normal handling and storage conditions.

Incompatible materials Acid, Oxidising agents and Strong oxidising agents.

Hazardous decomposition products Build-up of dangerous/toxic fumes possible in cases of fire/high

temperature.

Nitrogen oxides (NOX), Carbon monoxide, dioxide and unburned

hydrocarbons (smoke).

11. TOXICOLOGICAL INFORMATION

Acute toxicity (Oral) Not classified

ATEmix > 2,000mg/kg

Acute toxicity (Dermal) Not classified

ATEmix > 2,000mg/kg

Acute toxicity (Inhalation: Gases) Classification not possible due to lack of data Classification not possible due to lack of data Acute toxicity (Inhalation : Vapours)

Acute toxicity (Inhalation: dust/mist) Not classified

ATEmix > 5mg/L

Skin corrosion/ Irritation Not classified

N,N-Dimethyloctadecan-1-ylamine: Category 1 (0-1%)

Serious eye damage/irritation Category 1

> Polyethylene glycol mono butyl ether: Category 1 (35-45%) N,N-Dimethyloctadecan-1-ylamine: Category 2A (0-1%)

Respiratory Sensitization Classification not possible due to lack of data Skin Sensitization Classification not possible due to lack of data Germ cell mutagenicity Classification not possible due to lack of data Carcinogenicity Classification not possible due to lack of data

Page 4 of 6



Product Name: UV ink LH-100/LF-200 Washing Liquid

SDS No. 037-C087438

First issue: 2023/04/10

Revised:

Reproductive toxicity Classification not possible due to lack of data Classification not possible due to lack of data Reproductive toxicity, effects on or via

lactation

Specific target organ toxicity - Single

exposure

Specific target organ toxicity -

Repeated exposure

Aspiration hazard Classification not possible due to lack of data

12. ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment -Category 2

Acute Toxicity 2,2,4-Trimethyl-1,3,-pentanediol diisobutyrate: Category 2 (15-35%)

N,N-Dimethyloctadecan-1-ylamine: Category 1 (0-1%)

Classification not possible due to lack of data

Classification not possible due to lack of data

Hazardous to the Aquatic Environment -Category 2

Chronic Toxicity

2,2,4-Trimethyl-1,3,-pentanediol diisobutyrate: Category 3 (15-35%)

N,N-Dimethyloctadecan-1-ylamine: Category 1 (0-1%)

Hazardous to the Ozone layer Classification not possible due to lack of data

13. DISPOSAL CONSIDERATIONS

Residual Waste Before disposal, make the wastes harmless, stabilized, and neutralized,

and minimize danger and toxicity of the wastes.

Dispose of waste in accordance with local, state and federal regulations.

Contaminated Container and Packaging Passed to a licensed waste contractor.

In case of disposal of empty containers, remove the content

thoroughly.

14. TRANSPORT INFORMATION

IMDG

UN3082 UN/ID No

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class III Packing Group

IATA

UN/ID No UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9 III Packing Group

15. REGULATORY INFORMATION

California Proposition 65 Not regulated under California Proposition 65

16. OTHER INFORMATION

Page 5 of 6



Product Name: UV ink LH-100/LF-200 Washing Liquid

SDS No. 037-C087438 First issue: 2023/04/10

Revised:

Literature References SDS of raw material

NITE Website

ECHA Website

Other data The information suggested in this Safety Data Sheet does not

> comprehend everything and should be adopted only as a guide. The accuracy of the information and recommendations suggested herein are credible. However the company makes no warranty

> regarding such information and recommendations and disclaims all

liability for reliance thereon.

Page 6 of 6