

SDS No. 037-C201535 First issue: 2016/11/17

Revised:

Safety Data Sheets

1. Identification

Product Name : Flushing Liquid 04

Item No. : MP-M019269 / MP-M019271

General Use : Washing liquid of ink

Product Description : Aqueous liquid SDS Number : 037-C201535

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.

Telephone No. : +1-678-730-0100 Emergency Telephone No. : +81-268-64-2281

2. Hazards Identification

[GHS Classification]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Acute Toxicity – Oral : Not classified
Skin Corrosion / Irritation : Not classified
Eye Damage / Irritation : Not classified
Sensitization – Skin : Category 1
Toxic to Reproduction : Category 2

Specific Target Organ Toxicity : Category 1 (kidney, liver)

(Repeated Exposure)

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements]



SDS No. 037-C201535 First issue: 2016/11/17

Revised:

Safety Data Sheets

Symbol





Signal Word Danger

Hazard Statements

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure (kidney, liver).

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's Operation Manual before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe gas/mist/vapors.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash before reuse.

[Storage]

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with

local/regional/national/international regulation (to be specified).



Safety Data Sheets

Product Name: Flushing Liquid 04

SDS No. 037-C201535 First issue: 2016/11/17

Revised:

3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Alcohol derivative	40-50%	Trade Secret
2	Glycerols	10-20%	Trade Secret
3	Water	balance	7732-18-5

4. First Aid Measures

Inhalation : Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician.

Eye Contact : Flush eyes with plenty of water for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Skin Contact : Wash with plenty of soap and water. If skin irritation or rash occurs:

: Treat symptomatically and supportively.

Get medical advice/attention. Take off contaminated clothing and

wash before re-use.

Ingestion : If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute : allergic skin reaction.

Delayed : allergic skin reaction, kidney damage, liver damage

Indication of Immediate

Medical Attention and

Special Treatment Needed, If Needed

5. Fire Fighting Measures

Flammable Properties : Not flammable under normal condition.

Extinguishing Media : Dry chemical or carbon dioxide.

Unsuitable Extinguishing : Do not scatter spilled material with high-pressure water streams.

Media

Hazardous Combustion : Combustion: Irritant gas, carbon monoxide

Products

Fire Fighting Measures : Move container from fire area if it can be done without risk.



Product Name: Flushing Liquid 04 SDS No. 037-C201535

First issue: 2016/11/17

Revised:

Safety Data Sheets

Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or

combustion by-products.

Special Protective

Equipment and

Precautions for

Firefighters

: Wear full protective fire fighting gear including self contained

breathing apparatus (SCBA) for protection against possible exposure.

Accidental Release Measures

Personal Precautions, : Wear personal protective clothing and equipment, see Section 8.

Protective Equipment Avoid release to the environment.

and Emergency

Procedures

Methods and Materials

for Containment and

Cleaning Up

: Eliminate all ignition sources if safe to do so.

Stop leak if possible without personal risk. Reduce vapors with

water spray.

Small spills: Absorb with sand or other non-combustible material.

Collect spilled material in appropriate container for disposal.

Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low

areas.

Handling and Storage

Precautions for Safe

: Avoid breathing dust, mist, fumes or vapors.

Handling

Avoid contact with eyes, skin and clothing. Do not eat, drink, or

smoke when using this product.

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the

workplace.

Conditions for Safe

Storage, including any

: Store and handle in accordance with all current regulations and

standards.

Incompatibilities Store in a well-ventilated place. Keep container tightly closed.



Safety Data Sheets

Product Name: Flushing Liquid 04

SDS No. 037-C201535 First issue: 2016/11/17

Revised:

Keep cool. Keep separated from incompatible substances.

Exposure Controls / Personal Protection

Exposure Limit Values

No	Chemical Name		TWA	STEL	Ceiling	Skin	SEN
1	Glycerols	OSHA PEL	$15 \mathrm{mg/m^3}$	N.E.	N.E.	N.E.	N.E.
		ACGIH TLV	10mg/m³	N.E.	N.E.	N.E.	N.E.

Exposure Controls

Occupational Exposure Controls

Engineering Controls

: Not special measures required.

Personal Protection

Respiratory Protection

: Not required under suitable use as setting the cartridge on the printer; however, self-contained breathing apparatus or organic

canister mask is sufficient when used for work.

Respiratory

: Consult with a health and safety professional for specific respirators

appropriate for your use.



Hand Protection

: Wear appropriate chemical resistant gloves.



Gloves

Eye Protection

: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the

immediate work area.

Skin Protection

: Wear appropriate chemical resistant clothing.



Safety Glasses

Environmental Exposure Controls

: Not established.



SDS No. 037-C201535 First issue: 2016/11/17

Revised:

Safety Data Sheets

9. Physical and Chemical Properties

Appearance - Physical State : liquid

- Color : Clear

Odor : Slight odor

pH : 7-10 (25 degree C)

Boiling Point / Boiling Range : No data available
Melting Point / Melting Range : No data available

Flash Point : Not detected until 100 degree C

(closed cup, ASTM D3278)

Relative Density : about 1.10(25 degree C)

Solubility : No data available

Water Solubility : Complete

Viscosity : 9-10 mPa · s (25 degree C)

VOC : 496.1 g/l

10. Stability and Reactivity

Reactivity : No reactivity hazard is expected.

Chemical Stability : Stable under normal conditions of use.

Possibility of Hazardous : Will not polymerize.

Reactions

Conditions to Avoid : Avoid contact with incompatible materials.

Incompatible Materials : Acid, oxidizing agents

Hazardous Reactions / : Combustion: Irritant gas, carbon monoxide.

Decomposition Products

11. Toxicological Information

Acute Toxicity

Component Analysis - : Alcohol derivative

LD50/LC50 Oral (rat) LD50; 12,565mg/kg

Dermal (rabbit) LD50; 11,890mg/kg

Glycerols

Oral (rat) LD50; 12,600mg/kg

Dermal (rabbit) LD50; 10,000mg/kg



SDS No. 037-C201535 First issue: 2016/11/17

Revised:

Safety Data Sheets

Inhalation LC50 Rat >570 mg/m³ 1 h

Immediate Effects : allergic skin reaction.

Delayed Effects : allergic skin reaction, kidney damage, liver damage

Irritation/Corrosivity : No information available for the product.

Data

Respiratory : No information available for the product.

Sensitization

Dermal Sensitization : May cause an allergic skin reaction.

Germ Cell : No information available for the product.

Mutagenicity Carcinogenicity

Component Carcinogenicity

: No data listed by ACGIH, IARC, NTP, DFG or OSHA is available for

the component(s) of this product.

Reproductive Toxicity : Suspected of damaging fertility or the unborn child.

Specific Target Organ : No target organs identified.

Toxicity - Single

Exposure

Specific Target Organ : kidney, liver

Toxicity - Repeated

Exposure

Aspiration Hazard : Not expected to be an aspiration hazard.

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Component Analysis - : Alcohol derivative

Aquatic Toxicity Fish: 96 Hr LC50 Pimephales promelas: 75200 mg/L [flow-through];

Invertebrate: 48 Hr EC50 Daphnia magna: 84000 mg/L

Glycerols

Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]

Persistence and : No information available for the product.

Degradability

Bioaccumulation : No information available for the product.

Mobility : No information available for the product.



SDS No. 037-C201535 First issue: 2016/11/17

Revised:

Safety Data Sheets

Other Toxicity : No additional information is available.

13. Disposal Considerations

Disposal Methods : Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body

of water.

Disposal of : Empty containers may contain product residue. Dispose in

Contaminated accordance with all applicable regulations.

Packaging

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Us Department of Transportation (DOT)

Hazardous Materials : Not Applicable

Sea Transport (IMDG)

Class : Not Applicable
Packing Group (PG) : Not Applicable

UN Number : Not Applicable

Proper Chipping Name : Not Applicable

Proper Shipping Name : Not Applicable

Marine Pollutant : Not Applicable

Air Transport (ICAO/IATA)

Class : Not Applicable
Packing Group(PG) : Not Applicable
UN Number : Not Applicable
Proper Shipping Name : Not Applicable



Safety Data Sheets

Product Name: Flushing Liquid 04

SDS No. 037-C201535 First issue: 2016/11/17

Revised:

15. Regulatory Information

OSHA Hazardous : This material is considered hazardous.

Components

(29 CFR 1910. 1200)

TSCA Section 4(a) Final : Not regulated.

Test Rules Regulated

TSCA Section 8(a) : Not regulated.

Preliminary Assessment Information Rule(PAIR)

TSCA Section 12(b) : Not regulated.

One-Time Export

Notification Regulated

California Proposition 65 : Not regulated.

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Alcohol derivative	Trade Secret	No	No	Yes	No	Yes
Glycerols	Trade Secret	No	Yes	Yes	Yes	Yes

Chemical Inventory Listings

Component Analysis - Inventory

Component	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
Alcohol derivative	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Glycerols	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.