

Product Identifier: Maintenance Liquid 16

SDS No. 037-C287414 First issue: 2023/03/15

Revised: 2023/06/09

1. IDENTIFICATION

Product Identifier Maintenance Liquid 16 Product code ML016-Z-B2 / ML016-Z-K1

Recommended use of the chemical and

restrictions on use

Manufacturer

Maintenance liquid for inkiet printers

MIMAKI ENGINEERING CO., LTD.

2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

+81-268-64-2413

Importer / Distributor MIMAKI USA, INC.

150 Satellite Boulevard NE, suite A, Suwanee, Georgia 30024, U.S.A.

+1-678-730-0170

Emergency Telephone No. +1 866 928 0789 (within United States only, Toll free)

+1 215 207 0061

2. HAZARDS IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of 29

CFR § 1910.1200

Serious eye damage/eye irritation Category 2

Specific target organ toxicity (repeated exposure) Category 2(liver

kidnev)

GHS Label Elements

Symbols





Signal Word Warning

Hazard Statements H319 Causes serious eye irritation

H373 May cause damage to organs(liver, kidney) through prolonged or

repeated exposure

Precautionary Statements

Prevention Do not breathe mist, vapours and spray.(P260)

Wash thoroughly after handling.(P264)

Wear eye protection and face protection.(P280)

IF IN EYES: Rinse cautiously with water for several minutes. Remove Response

contact lenses, if present and easy to do. Continue

rinsing(P305+P351+P338)

Get medical advice/attention if you feel unwell(P314)

If eye irritation persists: Get medical advice/attention(P337+P313)

Storage

Disposal Dispose of waste in accordance with local state and federal

regulations.(P501)

Page 1 of 6



Product Identifier: Maintenance Liquid 16

SDS No. 037-C287414 First issue: 2023/03/15

Revised: 2023/06/09

NFPA Hazard Rating

Health 2
Flammability 1
Reactivity 0

Specific hazard Not applicable



3. COMPOSITION / INFORMATION ON INGREDIENTS

Substances or mixtures		Substances				
	Chemical name	Contents	CAS number			
	3-methoxy-N,N-dimethylpropionamide	90-100%	53185-52-7			

4. FIRST-AID MEASURES

In case of inhalation Call a doctor if you feel unwell.

In case of skin contact IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

In case of eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion Rinse mouth.

IF SWALLOWED: Call a doctor if you feel unwell.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant foam, and water fog. Unsuitable extinguishing media Cylindric water.

Specific hazards arising from the Risk of producing harmful gases such as carbon monoxide. Avoid

chemical inhalation of smoke or gases.

Special protective equipment and Use goggles in combination with dust mask, and another protections as appropriate to situation.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective Use goggles in combination with dust mask, and another protections as equipment and emergency procedures appropriate to situation.

Large spills :Evacuate area. Ensure adequate ventilation.

Environmental precautions Do not discharge into the drains, surface waters or ground water

directly.

Methods and materials for containment

and cleaning up

small spill: absorb with material such as non-combustible materialwash

thoroughly after handling

Large spills: Dike spills and dispose of in safe area.

7. HANDLING AND STORAGE

Precautions for safe handling



Product Identifier: Maintenance Liquid 16

SDS No. 037-C287414 First issue: 2023/03/15

Revised: 2023/06/09

Technical measures Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an

eyewash facility and a safety shower.

Safe handling advice Wear eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapours/spray.

Conditions for safe storage, including

any incompatibilities

Suitable storage conditions Store in well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters No data available

Appropriate engineering controls

Use local exhaust ventilation in case of production of fume or mist.

Facilities storing or utilizing this material should be equipped with an

eyewash facility and a safety shower.

Use explosion-proof electrical equipment and prevent from static

electricity.

Individual protection measures

Respiratory protection If necessary, wear respiratory protection. Hand protection If necessary, wear protective gloves.

Eye protection If necessary, wear protective eye protection.

Skin and body protection If necessary, wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State Liquid Color Clear

Odor No data available
Odor threshold No data available
pH No data available
Melting point No data available

Boiling point 215°C

Flash point 99°C (ASTM D6450), 116°C (Cleveland open-cup)

Evaporation rate No data available Flammability(Solid,Gas) Combustible

Flammability or explosive limits



Product Identifier: Maintenance Liquid 16

SDS No. 037-C287414 First issue: 2023/03/15 Revised: 2023/06/09

Auto-ignition temperature 219°C

Decomposition temperature No data available Viscosity 2.3mPa*s(20°C)

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability The product is chemically stable.

Possibility of hazardous reactions
No decomposition if stored and applied as directed.

Conditions to avoid No information available. Incompatible materials Strong oxidising agents.

Hazardous decomposition products Build-up of dangerous/toxic fumes possible in cases of fire/high

temperature.

Nitrogen oxides (NOX), Carbon monoxide, dioxide and unburned

hydrocarbons (smoke).

11. TOXICOLOGICAL INFORMATION

Acute toxicity (Oral) Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Acute toxicity (Dermal) Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Acute toxicity (Inhalation : Gases) Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Acute toxicity (Inhalation: Vapours) Classification not possible:53185-52-7 (source: Registered substances

(FCHA)

Acute toxicity (Inhalation : dust/mist) Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Skin corrosion/ Irritation Classification not possible:53185-52-7 (source: Registered substances

(ECHA)

Serious eye damage / irritation Category 2:53185-52-7 (source: Registered substances (ECHA))

Respiratory Sensitization Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Skin Sensitization Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Germ cell mutagenicity Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Carcinogenicity Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Reproductive toxicity Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Reproductive toxicity, effects on or via

lactation

Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Specific target organ toxicity - Single Classification not possible:53185-52-7 (source: Registered substances

Page 4 of 6



Product Identifier: Maintenance Liquid 16

SDS No. 037-C287414 First issue: 2023/03/15

Revised: 2023/06/09

(ECHA)) exposure

Category 2:53185-52-7 (organ = liver, kidney, source: Registered Specific target organ toxicity -

Repeated exposure substances (ECHA))

Classification not possible:53185-52-7 (source: Registered substances Aspiration hazard

(ECHA))

12. ECOLOGICAL INFORMATION

Hazardous to the Aquatic Environment -Classification not possible:53185-52-7 (source: Registered substances

Acute Toxicity (ECHA))

Hazardous to the Aquatic Environment -

Chronic Toxicity

Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

Hazardous to the Ozone layer Classification not possible:53185-52-7 (source: Registered substances

(ECHA))

13. DISPOSAL CONSIDERATIONS

Residual Waste Before disposal, make the wastes harmless, stabilized, and neutralized,

and minimize danger and toxicity of the wastes.

Dispose of waste in accordance with local state and federal regulations.

Contaminated Container and Packaging Passed to a licensed waste contractor.

In case of disposal of empty containers, remove the content

thoroughly.

14. TRANSPORT INFORMATION

IMDG Not dangerous goods IATA Not dangerous goods DOT Not dangerous goods

15. REGULATORY INFORMATION

California Proposition 65 Not regulated under California Proposition 65

NFPA Hazard Rating

2 Health 1 Flammability Reactivity

Specific hazard Not applicable

Component Analysis - Inventory

3-methoxy-N,N-dimethylpropionamide (53185-52-7)

TSCA - United States	ENCS - Japan	KECI Annex 1, 2 - Korea	DSL/NDSL - Canada	AICS - Australia	EINECS/ELIN CS - European Union	TCSI - Taiwan	DIW - Thailand
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

16. OTHER INFORMATION



Product Identifier: Maintenance Liquid 16

SDS No. 037-C287414 First issue: 2023/03/15 Revised: 2023/06/09

Literature References SDS of raw material

NITE Website ECHA Website

Other data The information suggested in this Safety Data Sheet does not

> comprehend everything and should be adopted only as a guide. The accuracy of the information and recommendations suggested herein are credible. However the company makes no warranty regarding such information and recommendations and disclaims all

liability for reliance thereon.

Page 6 of 6