

Safety Data Sheets

1. Identification

Product Name	AS5 ink Cyan	
Order No.	: AS5-C-60 / AS5-C-2L	
Ink Ver.	:1	
General Use	: Ink for ink jet printer	
Product Description	: Solvent pigment ink	
SDS Number	: 037-S285813	
Manufacture		
Company Name	: Mimaki Engineering Co., Ltd.	
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN	
Telephone No.	: +81-268-64-2413	
Importer / Distributor Established in USA		
Company Name	: MIMAKI USA, INC.	
Address	: 150 Satellite Boulevard NE , suite A, Suwanee, Georgia 30024,	
	U.S.A.	
Telephone No.	:+1-678-730-0170	
Emergency Telephone No.	: +1 866 928 0789 (within United States only, Toll free)	
	$+1\ 215\ 207\ 0061$	

2. Hazards Identification

[HCS Classification]	
Physical Hazards	
Flammable Liquids	Category 4
Health Hazards	
Serious Eye Damage / Irritation	: Category 2A
Specific Target Organ Toxicity	: Category 2(central nervous system)
(Single Exposure)	

The above list does not include category being non-classifiable or not-applicable.

[HCS Label Elements]



MIMCIKI[®] Safety Data Sheets

Signal Word Warning Hazard Statements H227 Combustible liquid. H319 Causes serious eye irritation. H371 May cause damage to organs (central nervous system). **Precautionary Statements** [Prevention] P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P260 Do not breathe gas/mist. P264 Wash hands thoroughly after handling. P270 Do not eat, drink, or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection. [Response] P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor/physician. P337+P313 If eye irritation persists: Get medical advice/attention. P370+P378 In case of fire: Use appropriate media for extinction [Storage] P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. [Disposal] P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

NFPA Rating (scale 0 - 4)

Health = 2 Flammability = 2 Instability = 0 Special =



CANADIAN WHMIS SYMBOLS $\stackrel{\scriptstyle .}{\scriptstyle \cdot}$ B3 , D2A , D2B



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Glycol ether solvents	70-80	Trade Secret



Safety Data Sheets

2	γ -Butyrolactone	10-20	96-48-0
3	Phthalocyanine Blue	1-10	Trade Secret
4	Chlorinated Ethylene-Vinyl Acetate Copolymer (CEVA)	1-10	Trade Secret
5	Acrylic Type Compound	1-10	Trade Secret
6	Additive 1	0.1-5	Trade Secret
7	Additive 2	0.1-5	Trade Secret

The chemical identity and/or percentage of composition is being withheld as a trade secret.

4. First Aid Measures		
Description of Necessary Measures		
Inhalation	: Remove person to fresh air and keep comfortable for breathing.	
	Call a POISON CENTER or doctor/physician.	
Eye Contact	: Flush eyes with plenty of water for at least 15 minutes.	
	Remove contact lenses, if present and easy to do. Continue rinsing.	
	Get immediate medical attention.	
Skin Contact	: Wash with plenty of soap and water. Take off contaminated clothing	
	and wash before re-use. Get medical attention if irritation develops.	
Ingestion	: If swallowed, get medical attention.	
Most Important Symptoms/Effects		
Acute	eye irritation, central nervous system damage	
Delayed	: No information on significant adverse effects.	
Indication of Immediate	: Treat symptomatically and supportively.	
Medical Attention and		
Special Treatment		
Needed, If Needed		

5. Fire Fighting Measures

Flammable Properties	: Flash Point: 71 °C
	Auto Ignition Temperature: 169 °C (Glycol ether type solvent)
	Flammable Point:2.5vol%-33.0Vol% (Glycol ether type solvent)
Extinguishing Media	: carbon dioxide, regular dry chemical, water spray, alcohol resistant
	foam
Unsuitable Extinguishing	: Do not scatter spilled material with high-pressure water streams.
Media	

MIMCIKI[®] Safety Data Sheets

Product Name:AS5 ink Cyan SDS No. 037-S285813 First issue: 2020/10/06 Revised:

Special Hazards Arising	Combustible liquid and vapor. Irritating fumes and gases may be
from the Chemical	released upon thermal processing or during combustion.
Hazardous Combustion	: Combustion: oxides of carbon, oxides of nitrogen
Products	
Fire Fighting Measures	: Move container from fire area if it can be done without risk. Do not
	scatter spilled material with high-pressure water streams. Cool
	containers with water spray until well after the fire is out. Stay away
	from the ends of tanks. Avoid inhalation of material or combustion
	by-products. For fires in cargo or storage area: Cool containers with
	water from unmanned hose holder or monitor nozzles until well after
	fire is out. If this is impossible then take the following precautions:
	Keep unnecessary people away, isolate hazard area and deny entry.
	Let the fire burn. Withdraw immediately in case of rising sound from
	venting safety device or any discoloration of tanks due to fire.
Special Protective	: Wear full protective fire fighting gear including self contained
Equipment and	breathing apparatus (SCBA) for protection against possible exposure.
Precautions for	
Firefighters	

6. Accidental Release Measures

Personal Precautions,	: Wear personal protective clothing and equipment, see Section 8.
Protective Equipment	
and Emergency	
Procedures	
Methods and Materials	: Eliminate all ignition sources if safe to do so. Stop leak if possible
for Containment and	without personal risk. Reduce vapors with water spray.
Cleaning Up	Small spills: Absorb with sand or other non-combustible material.
	Collect spilled material in appropriate container for disposal.
	Large spills: Dike for later disposal. Keep unnecessary people away,
	isolate hazard area and deny entry. Stay upwind and keep out of low
	areas.

7. Handling and Storage

Precautions for Safe : Keep away from heat, sparks, open flame, and hot surfaces - No

MINCIKI Safety Data Sheets

Handling	smoking. Do not breathe vapor or mist. Do not eat, drink, or smoke
	when using this product. Wear protective gloves/clothing and eye/face
	protection. Wash thoroughly after handling.
Conditions for Safe	\vdots Store and handle in accordance with all current regulations and
Storage, including any	standards. Store in a well-ventilated place. Keep container tightly
Incompatibilities	closed. Keep cool. Grounding and bonding required. Store locked up.
	Keep separated from incompatible substances.
	Incompatible materials include acids, bases, oxidizing materials, and
	halogens.

8. Exposure Controls / Personal Protection

Exposure Limit Values	: ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.	
Component Biological	: There are no biological limit values for the component(s) of this	
Limit Values	product.	
Exposure Controls		
Occupational Exposure C	ontrols	
Appropriate	: Ventilation equipment should be explosion-resistant if explosive	
Engineering Controls	concentrations of material are present. Provide local exhaust or	
	process enclosure ventilation system. Ensure compliance with	
	applicable exposure limits.	
Individual Protection Measures, such as Personal Protective Equipment		
Respiratory Protection	: Consult with a health and safety professional for specific respirators	
	appropriate for your use.	
5 _0		
Vapor Respirator		
Glove	: Wear appropriate chemical resistant gloves.	
D 1 1		



: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Mimciki Safety Data Sheets



Skin Protection



: Wear appropriate chemical resistant clothing.

Environmental Exposure Controls

: Not available

9. Physical and Chemical Properties

Appearance - Physical State	: liquid	
- Color	: blue	
Odor	: solvent odor	
pH	: Not Applicable	
Boiling Point / Boiling Range	: Not available	
Melting Point / Melting Range	: Not available	
Flash Point	: 71°C	
Auto ignition temperature	: 169 °C (Glycol ether type solvent)	
Flammability (Solid, Gas)	: Not available	
Upper / Lower Flammability or	: 2.5 vol %-33.0 vol % (Glycol ether type solvent)	
Explosive Limits		
Vapor Pressure	: <=0.1 kPa (20°C) (Glycol ether type solvent)	
Density	: 0.968 g/cm3	
Water Solubility	: Not available	
Viscosity	: 4.0-4.5 mPa/s @25 °C	
Vapor Density	: Not available	
Evaporation Rate	: Not available	

10. Stability and Reactivity

Reactivity	: No reactivity hazard is expected.
Conditions to Avoid	Avoid flames, sparks, and other sources of ignition.
	Containers may rupture or explode if exposed to heat. Avoid contact
	with incompatible materials.

Mimciki Safety Data Sheets

Product Name:AS5 ink Cyan SDS No. 037-S285813 First issue: 2020/10/06 Revised:

Stability	: Stable under normal conditions of use.
Materials to Avoid	: acids, bases, oxidizing materials, halogens
Hazardous Reactions /	: Combustion: oxides of carbon, oxides of nitrogen
Decomposition Products	

11. Toxicological Information

Acute Toxicity

Component Analysis - LD50/LC50

The component(s) of this material have been reviewed in various sources and the following selected endpoints are published:

Glycol ether solvents (Trade Secret)

Oral LD50 Rat 6500 µL/kg

γ -Butyrolactone (96-48-0)

Oral LD50 Rat 1540 mg/kg Inhalation LC50 Rat >5100 mg/m3 4 h

Additive 2 (Trade Secret)

Oral LD50 Rat 40 g/kg Dermal LD50 Rabbit >20 mL/kg

Information on Likely Routes of Exposure

mornation on Energ Routes of Exp	usure .
Inhalation	: irritation, nausea, headache, drowsiness, dizziness,
	unconsciousness, coma, allergic reactions.
Ingestion	: irritation, nausea, headache, drowsiness, dizziness,
	unconsciousness, coma.
Skin Contact	: irritation, nausea, headache, drowsiness, dizziness,
	unconsciousness, coma.
Eye Contact	: irritation.
Immediate Effects	: eye irritation, central nervous system damage.
Delayed Effects	: No information on significant adverse effects.
Medical Conditions Aggravated	: No information available for the product.
by Exposure	
Irritation/Corrosivity Data	: eye irritation.
Respiratory Sensitization	: No information available for the product.
Dermal Sensitization	: No information available for the product.
Germ Cell Mutagenicity	: No information available for the product.
Carcinogenicity	
Component Carcinogenicity	
γ -Butyrolactone (96-48-0)	



Safety Data Sheets

IARC: Monograph 71 [1999]; Supplement 7 [1987]; Monograph 11 [1976] (Group 3 (not classifiable))

Chlorinated Ethylene-Vinyl Acetate Copolymer (CEVA) (Trade Secret)

IARC: Supplement 7 [1987]; Monograph 19 [1979] (Group 3 (not classifiable))

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

central nervous system.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration Hazard

No information available for the product.

12. Ecological Information

Handling is noted becau	use it might influence	ce the environme	nt when leaking	and abandoning it.

Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity : Components of this product are hazardous to aquatic life.

Component Analysis - Aquatic Toxicity

γ -Butyrolactone (96-48-0)

Algae: 72 Hr EC50 Desmodesmus subspicatus: 360 mg/L;

96 Hr EC50 Desmodesmus subspicatus: 79 mg/L

Invertebrate: 48 Hr EC50 Daphnia magna Straus: >500 mg/L

Additive 2 (Trade Secret)

Algae: 72 Hr EC50 Desmodesmus subspicatus: 8 mg/L

Mobility	: No information available for the product.
Persistence and	: No information available for the product.
Degradability	
Bioaccumulative	: No information available for the product.
Potential	
Other Adverse Effects	: No additional information is available.

13. Disposal Considerations

Disposal Methods : Empty containers may contain product residue. Dispose in accordance with all applicable regulations.

MINCIKI Safety Data Sheets

Product Name:AS5 ink Cyan SDS No. 037-S285813 First issue: 2020/10/06 Revised:

Component Waste	: The U.S. EPA has not published waste numbers for this product's
Numbers	components.
Disposal of	: Empty containers may contain product residue. Dispose in
Contaminated	accordance with all applicable regulations.
Packaging	

Comply with all USA, national and local regulations. Do not dump this product into sewers, on the ground or into any body of water.

14. Transport Information

	Check a thing without a leak in a container.
	Perform prevention of collapse of cargo surely.
IATA Information	: Not regulated as dangerous goods for transport.
ICAO Information	: Not regulated as dangerous goods for transport.
IMDG Information	: Not regulated as dangerous goods for transport.
Marine Pollutant	: γ -Butyrolactone (96-48-0)
	IBC Code: Category Y
TDG Information	: Not regulated as dangerous goods for transport.
US DOT Information	: Not regulated as dangerous goods for transport. *1
*1 Class combustible liquid	d (NA1993), Packing group III for quantities of 450 liters (119 gallons) or

more; not regulated for smaller quantities

15. Regulatory Information

U.S. Federal	: None of this products components are listed under SARA Sections				
Regulations	302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR				
	370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4),				
	TSCA 12(b), or require an OSHA process safety plan.				
SARA 311/312	: Acute Health: Yes Chronic Health: No Fire: Yes Pressure: No				
	Reactive: No				
U.S. State Regulations	: None of this product's components are listed on the state lists from				
	CA, MA, MN, NJ or PA.				
	Not regulated under California Proposition 65				
Canada	: WHMIS CLASSIFICATION: B3, D2A, D2B.				
Canadian WHMIS Ingred	lient Disclosure List (IDL)				



: None of the product component(s) are listed on the Ingredients Disclosure List (IDL).

Chemical Inventory Listings

Component	CAS	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
Glycol ether solvents	Trade Secret	Yes	NSL	EIN	No	No	Yes	No	Yes	Yes
γ -Butyrolactone	96-48-0	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Additive 2	Trade Secret	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Phthalocyanine Blue	Trade Secret	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Chlorinated Ethylene-Vinyl	Trade Secret	Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	Yes
Acetate Copolymer (CEVA)										

Component Analysis - Inventory

16. Other Information

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code -International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.