

Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

### 1. Identification

Product Name : UV ink Cyan
Order No. : SPC-0371C-6
General Use : For ink jet

Product Description : UV curable ink SDS Number : 037-U010376

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.

Telephone No. : +1-678-730-0170

Emergency Telephone No. : +1 866 928 0789 (within United States only, Toll free)

+1 215 207 0061

### 2. Hazards Identification

[GHS Classification]

Physical Hazards

Flammable Liquids : Not classified

**Health Hazards** 

Skin Corrosion / Irritation : Category 2

Eye Damage / Irritation : Category 2

Sensitization - Skin : Category 1

Specific Target Organ Toxicity : Category 3 (respiratory tract irritation)

(Single Exposure)

The above list does not include category being non-classifiable or not-applicable.



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24 Revised: 2019/11/12

[GHS Label Elements] Symbol



Signal Word Warning

**Hazard Statements** 

H315 Cause skin irritation

H317 May cause an allergic skin reaction

H319 Cause serious eye irritation

H335 May cause respiratory irritation

## **Precautionary Statements**

[Prevention]

P261 Avoid breathing gas/mist.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash before reuse.

[Storage]

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with

local/regional/national/international regulation (to be specified).

### Other Information

[Hazards not otherwise classified (HNOC)]

Not Applicable

[Other hazards]

- · Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

[Unknown Acute Toxicity]

83% of the mixture consists of ingredient(s) of unknown toxicity



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

HMIS Rating (scale 0-4)

NFPA Rating (scale 0-4)

Health = 2

Flammability= 1

Reactivity = 0

Protective Equipment = X

Protective Equipment
Health
Reactivity

Health = 2 Flammability = 1 Instability = 0 Special = -



CANADIAN WHMIS SYMBOLS: Non-controlled

## 3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Monomers	60-70	Trade Secret
2	Isooctyl acrylate (structure unspecified)	10-20	29590-42-9
3	Photoinitiator	5-10	Trade Secret
4	Oligomer	5-10	Trade Secret
5	Copper compounds	1-5	Trade Secret
6	Additives	1-5	Trade Secret
7	Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-	1-5	162881-26-7

## 4. First Aid Measures

General advice : If symptoms persist, call a physician.

Inhalation : Move to fresh air in case of accidental inhalation of vapors. If

symptoms persist, call a physician.

Eye Contact : Rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

Keep eye wide open while rinsing.

Skin Contact : If skin irritation persists, call a physician. Wash off immediately

with soap and plenty of water. Wash contaminated clothing before

reuse.

Ingestion : If swallowed, call a poison control center or physician immediately.

Do not induce vomiting without medical advice. Never give anything

by mouth to an unconscious person.

Protection To First-Aiders : Use personal protective equipment as required.



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

Most important symptoms and effects, both acute and delayed

Symptoms : May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Note to physicians : May cause sensitization of susceptible persons. Treat

symptomatically.

## 5. Fire Fighting Measures

Flammable Properties : Flash point; 131  $^{\circ}$ C / 268  $^{\circ}$  F

Explosion data; No data available

Extinguishing Media : Dry chemical, CO2, water spray or alcohol-resistant foam.

Unsuitable Extinguishing : Do not use straight streams.

Media

Specific hazards arising

from the chemical

: In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal

decomposition can lead to release of irritating and toxic gases and

vapors.

Fire Fighting : As in any fire, wear self-contained breathing apparatus

Instructions pressure-demand, MSHA/NIOSH (approved or equivalent) and full

protective gear.

### 6. Accidental Release Measures

Personal Precautions : Use personal protection recommended in Section 8. Avoid contact

with eyes and skin. Keep people away from and upwind of spill/leak.

Environmental : Collect spillage. Prevent entry into waterways, sewers, basements

precautions or confined areas. Do not flush into surface water or sanitary sewer

system.

Methods for containment : Absorb or cover with dry earth, sand or other non-combustible

material and transfer to containers.

Methods for cleaning up : Use personal protective equipment as required. Soak up with inert

absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

## 7. Handling and Storage

Handling : Use personal protection recommended in Section 8. Avoid contact

with skin and eyes. Do not breathe gas/mist.

Storage : Keep out of the reach of children. Keep in properly labeled containers.

Keep containers tightly closed in a cool, well-ventilated place. Avoid

direct sunlight or high temperature.

Incompatible materials : Strong oxidizing agents.

## 8. Exposure Controls / Personal Protection

### **Exposure Limit Values**

No	Chemical Name	ACGIH	OSHA PEL	NIOSH IDLH
				IDLH: 100 mg/m³ Cu
1	Copper compounds	TWA: 1 mg/m³ Cu	N.E.	dust and mist
		dust and mist		TWA: 1 mg/m³ Cu dust
				and mist

NIOSH IDLH Immediately Dangerous to Life or Health

**Exposure Controls** 

Occupational Exposure Controls

Engineering Controls : Showers

Eyewash stations
Ventilation systems.

Personal Protection

Respiratory : Consult with a health and safety professional for specific respirators

Protection appropriate for your use.

Vapor Respirator

Hand Protection

: Gloves made of plastic or rubber.





Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

# Safety Data Sheets

Eye Protection : Tight sealing safety goggles. Face protection shield.



Skin Protection : Suitable protective clothing. Apron. Gloves made of plastic or rubber.



General Hygiene Considerations

: When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended. Wash face, hands and any exposed skin thoroughly

after handling.

**Environmental Exposure Controls** 

: Not available

### 9. Physical and Chemical Properties

Appearance - Physical State : liquid

- Color : Blue

Odor : Characteristic odor

Boiling Point / Boiling Range : Not Available

Melting Point / Melting Range : Not Available

Decomposition Temperature : Not Available

Flash Point : 131°C / 268° F (Cleveland Open Cup)

Auto ignition temperature : Not Available
Upper / Lower Flammability or : Not Available

**Explosive Limits** 

Vapor Pressure : Not Available

Specific Gravity : 1.0-1.1g/cm<sup>3</sup> (25 °C)

Solubility : Not Available

Water Solubility : Immiscible in water Viscosity :  $<30 \text{ mPa} \cdot \text{s} (25 ^{\circ}\text{C})$ 

VOC : Not Available



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

## 10. Stability and Reactivity

Conditions to Avoid : Extremes of temperature and direct sunlight.

Reactivity : No reactivity under the normal usage

Stability : Stable under recommended storage conditions.

Materials to Avoid : Strong oxidizing agents.

Possibility of Hazardous : None under normal processing.

Reactions

Decomposition Products : Thermal decomposition can lead to release of irritating and toxic

gases and vapors.

### 11. Toxicological Information

Acute Toxicity : 83% of the mixture consists of ingredient(s) of unknown toxicity

			-
Chemical Name	Oral	Dermal	Inhalation
Chemical Name	LD50	LD50	LC50
Isooctyl acrylate	> 5 g/kg		
(structure unspecified)	(Rat)	-	-

Eye IrritationSkin IrritationCategory 2 as a product.SensitizationCategory 1 as a product.

Specific Target Organ : Category 3 (respiratory tract irritation) as a product.

Toxicity(Single Exposure)

Chronic Toxicity : Repeated contact may cause allergic reactions in very susceptible

persons. Avoid repeated exposure. May cause adverse liver effects.

Carcinogenicity : This product does not contain any carcinogens or potential

carcinogens as listed by OSHA, IARC or NTP.

### 12. Ecological Information

Handling is noted because it might influence the environment when

leaking and abandoning it.

Especially, note that the product doesn't flow directly to ground, the

river, and the drain ditch.

Ecotoxicity : Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

83% of the mixture consists of component(s) of unknown hazards to



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

the aquatic environment

Chemical Name	Fish	Crustaces
Incontrol a averlate	0.67: 96 h Pimephales	0.4: 48 h Daphnia
Isooctyl acrylate	promelas mg/L	magna mg/L
(structure unspecified)	LC50	EC50

Persistence and

: Not Available

Degradability

Bioaccumulative : Not Available

Potential

Other Adverse Effects : Not Available

## 13. Disposal Considerations

: Disposal should be in accordance with applicable regional, national and local laws and regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Copper compounds	Toxic

Do not dump this product into sewers, on the ground or into any body of water.

## 14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

### Us Department of Transportation (DOT)

UN Number : UN3082

Proper Shipping : Environmentally hazardous substance, liquid, n.o.s.

Name (Isooctyl acrylate)

Hazardous Class : 9 Packing Group (PG) : III

Special Provisions : 8, 146, 173, 335, IB3, T4, TP1, TP29

Marine pollutant : Not Applicable

Emergency Response : 171

Guide Number



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

# Safety Data Sheets

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III

TDG

UN Number : UN3082

Proper Shipping : Environmentally hazardous substance, liquid, n.o.s.

Name (Isooctyl acrylate)

Hazardous Class : 9
Packing Group (PG) : III
Special Provisions : none

Marine pollutant : Not regulated

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III

**MEX** 

UN Number : UN3082

Proper Shipping : Environmentally hazardous substance, liquid, n.o.s.

Name (Isooctyl acrylate)

Hazardous Class : 9
Special Provisions : none
Packing Group (PG) : III

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III

**IATA** 

UN Number : UN3082

Proper Shipping : Environmentally hazardous substance, liquid, n.o.s.

Name (Isooctyl acrylate)

Hazardous Class : 9
Packing Group (PG) : III
ERG Code : 9L

Special Provisions : A97, A158

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III

Sea Transport (IMDG)

UN Number : UN3082

Proper Shipping : Environmentally hazardous substance, liquid, n.o.s.

Name (Isooctyl acrylate)

Hazardous Class : 9
Packing Group (PG) : III



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24 Revised: 2019/11/12

EmS-No. : F-A, S-F

Special Provisions : 274,335

Marine Pollutant : This material meets the definition of a marine pollutant

Description : UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Isooctyl acrylate), 9, III

Environmental hazard : Yes

Remarks : Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is

excepted from Dangerous Goods regulations.

Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

### 15. Regulatory Information

U.S. Federal Regulations

CERCLA : This material, as supplied, does not contain any substances regulated

Reportable Quantity as hazardous substances under the Comprehensive Environmental

(40 CFR 302) Response Compensation and Liability Act (CERCLA) (40 CFR 302) or

the Superfund Amendments and Reauthorization Act (SARA) (40

CFR 355). There may be specific reporting requirements at the local,

regional, or state level pertaining to releases of this material

SARA TitleIII

Section 311/312 : Acute health hazard Yes

(40 CFR 370) Chronic Health Hazard No

Fire hazard No

Sudden release of pressure hazard No

Reactive Hazard No.

Section 313 : Section 313 of Title III of the Superfund Amendments and

(40 CFR 372) Reauthorization Act of 1986 (SARA). This product does not contain

any chemicals which are subject to the reporting requirements of the

Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act) : This product contains the following substances which are regulated

pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

CFR 122.42)

Cl l. N	CWA-Reportable	CWA-Toxic	CWA-Priority	CWA-Hazardous
Chemical Name	Quantities	Pollutants	Pollutants	Substances
Copper compounds	-	X	-	-



Product Name: UV ink Cyan SDS No. 037-U010376 First issue: 2011/08/24

Revised: 2019/11/12

## U.S. State Regulations

California Proposition : WARNING

65

 $\triangle$ 

This product can expose you to chemicals including Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to

www.P65Warnings.ca.gov.

U.S.State : This product contains substances regulated by state right-to-know

Right-to-Know regulations.

Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Copper compounds	X	-	X

### U.S.EPA Label Information

EPA Pesticide : Not Applicable

Registration Number

Canada : This product has been classified in accordance with the hazard

criteria of the Controlled Products Regulations (CPR) and the SDS

contains all the information required by the CPR

WHMIS Hazard Class : Non-controlled

Others : Please refer to any other federal, state and local regulations.

## 16. Other Information

References 1) LOLI Database (ChemADVISOR, Inc.)

2) Japan National Institute of Technology and Evaluation

3) EU CLP(1272/2008)Annex VI Table 3.1

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.