

# Safety Data Sheets

## 1. Identification

Product Name	: SW-110 ink		
Order No.	: SW110-Z-BA		
General Use	: Ink for ink jet printer		
Product Description	: UV curable ink		
SDS Number	: 037- U146958		
Manufacture			
Company Name	<sup>:</sup> Mimaki Engineering Co., Ltd.		
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN		
Telephone No.	: +81-268-64-2413		
Importer / Distributor Established in USA			
Company Name	: MIMAKI USA, INC.		
Address	: 150 Satellite Boulevard NE , suite A, Suwanee, Georgia 30024,		
	U.S.A.		
Telephone No.	:+1-678-730-0170		
Emergency Telephone No.	: +1 866 928 0789 (within United States only, Toll free)		
	$+1\ 215\ 207\ 0061$		

2. Hazards Identification	
[HCS Classification]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Acute Toxicity – Oral	: Catgory 4
Skin Corrosion / Irritation	Catgory 2
Eye Damage / Irritation	Catgory 1
Sensitization-Skin	Catgory 1A
Toxic to Reproduction	Catgory 2
Specific Target Organ Toxicity	Catgory 2 (peripheral nervous system, kidneys,
(Repeated Exposure)	liver, blood)
Environmental Hazards	
Hazardous to the Aquatic	Catgory 2
Environment - Acute Hazard	



Product Name: SW-110 ink SDS No. 037-U146958 First issue: 2021/07/28 Revised:2022/01/18

Hazardous to the Aquatic Environment - Long Term Hazard

: Catgory 2

The above list does not include category being non-classifiable or not-applicable.

[HCS Label Elements] Symbol

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure

(peripheral nervous system, kidneys, liver, blood).

H411 Toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

[Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

[Response]

P308+P313 IF exposed or concerned: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P362+P364 Take off contaminated clothing and wash before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

P391 Collect spillage.

[Storage]

# **MIMCIKI**<sup>®</sup> Safety Data Sheets

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

Statement(s) of Unknown Acute Toxicity

Oral 62% of the mixture consists of ingredient(s) of unknown acute toxicity.

Statement(s) of Unknown Aquatic Toxicity

0% of the mixture consists of ingredient(s) of unknown acute aquatic toxicity.

0% of the mixture consists of ingredient(s) of unknown chronic aquatic toxicity.

Other Hazards

None known.


NFPA Rating (scale 0-4)

Health = 2

Flammability = 1

Instability = 0

Special =



## 3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Glyceryl polypropylene glycol triether	40-50	25791-96-2
2	Morpholine, 4-(1-oxo-2-propenyl)-	30-40	5117-12-4
3	Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	1-10	75980-60-8
4	Triethylene glycol monomethyl ether	1-10	112-35-6

The chemical identity and/or percentage of composition is being withheld as a trade secret.

4.	First Aid Measures
----	--------------------

Inhalation	Remove person to fresh air and keep comfortable for breathing. Give
	artificial respiration if not breathing. Call a POISON CENTER or
	doctor/physician.
Eye Contact	: Flush eyes immediately with large amounts of water. Remove
	contact lenses, if present and easy to do. Continue rinsing. Then get
	immediate medical attention.
Skin Contact	: Wash with plenty of soap and water. If skin irritation or rash occurs:
	Get medical advice/attention. Take off contaminated clothing and



Product Name: SW-110 ink SDS No. 037-U146958 First issue: 2021/07/28 Revised:2022/01/18

## Safety Data Sheets

	wash before re-use.	
Ingestion	: If swallowed, get medical attention. If vomiting occurs, keep head	
	lower than hips to help prevent aspiration. Rinse mouth.	
Most Important Symptoms/Effects		
Acute	: Harmful if swallowed, skin irritation, eye damage, allergic skin	
	reaction.	
Delayed	$\stackrel{:}{\cdot}$ allergic skin reaction, reproductive effects, peripheral nerve system	
	damage, kidney damage, liver damage, blood disorders.	
Indication of Immediate	: Treat symptomatically and supportively.	
Medical Attention and		
Special Treatment		
Needed, If Needed		

## 5. Fire Fighting Measures

Flammable Properties	: Flash Pont: >93 $^{\circ}$ C
Extinguishing Media	: carbon dioxide, regular dry chemical, water spray, alcohol resistant
	foam.
Unsuitable Extinguishing	: Do not scatter spilled material with high-pressure water streams.
Media	
Special Hazards Arising	: Irritating fumes and gases may be released upon thermal processing
from the Chemical	or during combustion.
Hazardous Combustion	: oxides of carbon, oxides of nitrogen.
Products	
Fire Fighting Measures	: Move container from fire area if it can be done without risk. Do not
	scatter spilled material with high-pressure water streams. Cool
	containers with water spray until well after the fire is out. Stay away
	from the ends of tanks. Avoid inhalation of material or combustion
	by-products.
Special Protective	: Wear full protective fire fighting gear including self contained
Equipment and	breathing apparatus (SCBA) for protection against possible exposure.
Precautions for	
Firefighters	

# **MINCIKI** Safety Data Sheets

Personal Precautions,	: Wear personal protective clothing and equipment, see Section 8.	
Protective Equipment		
and Emergency		
Procedures		
Methods and Materials	Eliminate all ignition sources if safe to do so. Stop leak if possible	
for Containment and	without personal risk. Reduce vapors with water spray.	
Cleaning Up	Small spills: Absorb with sand or other non-combustible material.	
	Collect spilled material in appropriate container for disposal.	
	Large spills: Dike for later disposal. Keep unnecessary people away,	
	isolate hazard area and deny entry. Stay upwind and keep out of low	
	areas.	
Environmental	Avoid release to the environment.	
Precautions		

## 7. Handling and Storage

Precautions for Safe	: Obtain special instructions before use. Do not handle until all safety	
Handling	precautions have been read and understood. Do not breathe vapor or	
	mist. Use only outdoors or in a well-ventilated area. Avoid contact with	
	eyes, skin and clothing. Do not eat, drink, or smoke when using this	
	product. Wear protective gloves/clothing and eye/face protection. Wash	
	thoroughly after handling. Contaminated work clothing should not be	
	allowed out of the workplace.	
Conditions for Safe	: Store locked up.	
Storage, including any	Store and handle in accordance with all current regulations and	
Incompatibilities	standards. Keep separated from incompatible substances.	
Incompatible Materials	: acids, bases, metals, oxidizing materials, metal oxides.	

## 8. Exposure Controls / Personal Protection

Exposure Limit Values	: The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.
ACGIH - Threshold Limit	: Biological Exposure Indices (BEI)
Values	There are no biological limit values for any of this product's

# **MIMCIKI** Safety Data Sheets

	components.
Exposure Controls	
Occupational Exposure Co	ontrols
Appropriate	: Provide local exhaust or process enclosure ventilation system.
<b>Engineering</b> Controls	Ensure adequate ventilation.
Individual Protection Meas	sures, such as Personal Protective Equipment
<b>Respiratory Protection</b>	: Consult with a health and safety professional for specific respirators
Vapor Respirator	appropriate for your use.
Glove	: Wear appropriate chemical resistant gloves.
Recommendations	
Gloves	
Eye /Face	: Wear splash resistant safety goggles with a faceshield.
Protection	
Safety Glasses	
Skin Protection	: Wear appropriate chemical resistant clothing.
Protective Materials	: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

## 9. Physical and Chemical Properties

Appearance	- Physical State	: liquid
	- Color	clear , light yellow
Odor		: peculiar odor
pH		: Not available
Boiling Point / Boiling Range		: Not available
Melting Point / Melting Range		: Not available
Decomposition Temperature		: Not available

# MIMCIKI<sup>®</sup> Safety Data Sheets

Product Name: SW-110 ink SDS No. 037-U146958 First issue: 2021/07/28 Revised:2022/01/18

Flash Point	:>93 °C
Auto ignition temperature	: Not available
Flammability (Solid, Gas)	: Not available
Explosive Properties	: Not available
Oxidizing Properties	: Not available
Upper / Lower Flammability or	: Not available
Explosive Limits	
Vapor Pressure	: Not available
Specific Gravity (water=1)	: 1.07 (25 °C )
Water Solubility	: Not available
Partition Coefficient (n-octanol / Water)	: Not available
Viscosity	$\div 66 \pm 3 \text{ mPa} \cdot \text{s} (25 \ ^{\circ} \ \text{C})$
Vapor Density	: Not available
Evaporation Rate	: Not available

### 10. Stability and Reactivity

Reactivity	: No reactivity hazard is expected.
Chemical Stability	: Stable under normal conditions of use.
Possibility of Hazardous	: Will not polymerize.
Reactions	
Conditions to Avoid	Avoid flames, sparks, and other sources of ignition. Avoid contact
	with incompatible materials.
Incompatible Materials	<sup>:</sup> oxidizing materials, strong acids, strong bases.
Hazardous	: oxides of carbon, oxides of nitrogen.
Decomposition	

#### 11. Toxicological Information

utes of Exposure
: irritation, organ damage.
: harmful if swallowed, irritation, organ damage
: irritation, allergic skin reaction.
: eye damage.

Acute and Chronic Toxicity

# MIMCIKI<sup>®</sup> Safety Data Sheets

Product Name: SW-110 ink SDS No. 037-U146958 First issue: 2021/07/28 Revised:2022/01/18

Component Analysis -	: The components of this material have been reviewed in various
LD50/LC50	sources and the following selected endpoints are published.
	Glyceryl polypropylene glycol triether (25791-96-2)
	Oral LD50 Rat 2830 μL/kg
	Dermal LD50 Rabbit >20 mL/kg
	Triethylene glycol monomethyl ether (112-35-6)
	Oral LD50 Rat 11300 µL/kg
	Product Toxicity Data - Acute Toxicity Estimate
	Oral: 500 mg/kg
Immediate Effects	: Harmful if swallowed, skin irritation, eye damage, allergic skin
	reaction.
Delayed Effects	allergic skin reaction, reproductive effects, peripheral nerve system
	damage, kidney damage, liver damage, blood disorders.
Irritation/Corrosivity	: skin irritation, eye damage.
Data	
Respiratory	: No information available for the product.
Sensitization	
Dermal Sensitization	: May cause an allergic skin reaction.
Germ Cell	: No information available for the product.
Mutagenicity	
Tumorigenic Data	: No information available for the product.
Carcinogenicity	: No information available for the product.
	: Component Carcinogenicity
	None of this product's components are listed by ACGIH, IARC, NTP,
	DFG or OSHA.
Reproductive Toxicity	Available data characterizes components of this product as
	reproductive hazards.
Specific Target Organ	: No target organs identified.
Toxicity - Single	
Exposure	
Specific Target Organ	: peripheral nervous system, kidneys, liver, blood.
Toxicity - Repeated	
Exposure	
Aspiration Hazard	: Not expected to be an aspiration hazard.
Medical Conditions	: No information available for the product.
Aggravated by Exposure	



# Safety Data Sheets

Handling is noted becaus	se it might influence the environment when leaking and abandoning it.
Especially, note that the	product doesn't flow directly to ground, the river, and the drain ditch.
Ecotoxicity	: Product Acute toxicity data: L(E)C50: >1 to <= 10 mg/L (estimated)
Component Analysis -	<sup>:</sup> Triethylene glycol monomethyl ether (112-35-6)
Aquatic Toxicity	Fish: LC50 96 h Brachydanio rerio >5000 mg/L [static ];
	LC50 96 h Pimephales promelas >10000 mg/L [static]
	Algae: EC50 72 h Desmodesmus subspicatus >500 mg/L IUCLID
	Invertebrate: EC50 48 h Daphnia magna >500 mg/L IUCLID
Persistence and	: No information available for the product.
Degradability	
Bioaccumulation	: No information available for the product.
Mobility	: No information available for the product.
Other Toxicity	: No information available for the product.

#### 13. Disposal Considerations

Disposal Methods	: Comply with all USA, national and local regulations.
	Do not dump this product into sewers, on the ground or into any body
	of water.
Component Waste	: The U.S. EPA has not published waste numbers for this product's
Numbers	components.
Disposal of	: Empty containers may contain product residue. Dispose in
Contaminated	accordance with all applicable regulations.
Packaging	

#### 14. Transport Information

Check a thing without a leak in a container.

Perform prevention of colla	apse of cargo surely.
Marine Pollutants	: Yes (As a product)
IATA Information	: Shipping Name: ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. , ( Contains:
	DIPHENYL(2,4,6-TRIMETHYLBENZOYL)PHOSPHINE OXIDE )
	Hazard Class: 9

Μιπακι

## Safety Data Sheets

	<b>UN#</b> : UN3082
	Packing Group: III
	Required Label(s): 9
	Marine pollutant
ICAO Information	: Shipping Name: ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. , ( Contains:
	DIPHENYL(2,4,6-TRIMETHYLBENZOYL)PHOSPHINE OXIDE )
	Hazard Class: 9
	<b>UN#:</b> UN3082
	Packing Group: III
	Required Label(s): 9
	Marine pollutant
IMDG Information	Shipping Name: ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. , ( Contains:
	DIPHENYL(2,4,6-TRIMETHYLBENZOYL)PHOSPHINE OXIDE )
	Hazard Class: 9
	<b>UN#:</b> UN3082
	Packing Group: III
	Required Label(s): 9
	Marine pollutant
US DOT Information	Shipping Name: ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. , ( Contains:
	DIPHENYL(2,4,6-TRIMETHYLBENZOYL)PHOSPHINE OXIDE )
	Hazard Class: 9
	<b>UN/NA #:</b> UN3082
	Packing Group: III
	Required Label(s): 9
	Marine pollutant
International Bulk	: This material contains one or more of the following chemicals
Chemical Code	required by the IBC Code to be identified as dangerous chemicals in
	bulk.
	Glyceryl polypropylene glycol triether (25791-96-2)
	IBC Code: Category Z
Remarks	: Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is
	excepted from Dangerous Goods regulations.
	Refer to ICAO/IATAA197, IMDG 2.10.2.7, ADR SP 375.
	Page 10 of 15



15. Regulatory Information	n				
U.S. Federal	: This material contains one or more of the following chemicals				
Regulations	required to be identified under SARA Section $302 \ (40 \ {\rm CFR} \ 355$				
	Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR				
	302.4), TSCA 12(b), and/or require an OSHA process safety plan.				
	Morpholine, 4-(1-oxo-2-propenyl)-5117-12-4				
	TSCA 12b: Section 5 , 1 % de minimus concentration EPA: P-95-0169				
SARA Section 311/312	Acute toxicity; Reproductive Toxicity; Skin Corrosion/Irritation;				
(40 CFR 370 Subparts B	Respiratory/Skin Sensitization; Serious Eye Damage/Eye Irritation;				
and C) reporting	Specific Target Organ Toxicity.				
categories					
U.S. State Regulations	: None of this product's components are listed on the state lists from				
	CA, MA, MN, NJ or PA.				
California Proposition 65	<sup>:</sup> WARNING				
	This product can expose you to chemicals including Propylene				
	oxide, which is known to the State of California to cause				
	cancer. For more information go to www.P65Warnings.ca.gov.				
Canada Regulations	Canadian WHMIS Ingredient Disclosure List (IDL)				
	The components of this product are either not listed on the IDL or are				
	present below the threshold limit listed on the IDL.				

#### $Component\,Analysis-Inventory$

#### Glyceryl polypropylene glycol triether (25791-96-2)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes

### Morpholine, 4-(1-oxo-2-propenyl)- (5117-12-4)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	NSL	ELN	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No	Yes

## Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
----	----	----	----	----	------	------	-----------	-----------	------------	----	----	----	----



## Safety Data Sheets

					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

#### Triethylene glycol monomethyl ether (112-35-6)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

Further information

There is a component in this product subject to a SNUR. CAS #: 5117-12-4. However, if used as an ink for a 3D printer, SNUR does not apply to this substance.

#### 16. Other Information

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS -Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU -European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; ICAO - International Civil Aviation Organization; IDL -Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow -Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX – Mexico; NDSL – Non-Domestic Substance

# Μιπακι

Product Name: SW-110 ink SDS No. 037-U146958 First issue: 2021/07/28 Revised:2022/01/18

# Safety Data Sheets

List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID -European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL -Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN NCI (Draft) -Vietnam National Chemicals Inventory (NCI) (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada). .

#### Disclaimer

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.