

1. Identification

Product Name	: DD400 Cyan
Order No.	: DD400-C-2L
General Use	: Ink jet printing ink
Product Description	: Disperse Dye Ink
SDS Number	: 037-W400706
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd.
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Telephone No.	: +81-268-64-2413
Importer / Distributor Esta	ablished in USA
Company Name	: MIMAKI USA, INC.
Address	: 150 Satellite Boulevard NE , suite A, Suwanee, Georgia 30024,
	U.S.A.
Telephone No.	:+1-678-730-0170
Emergency Telephone No.	: +1 866 928 0789 (within United States only, Toll free)
	+1 215 207 0061

2. Hazards Identification	
[GHS Classification]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Skin Corrosion / Irritation	Category 2
Eye Damage / Irritation	: Category 2A
Toxic to Reproduction	: Category 1B
Specific Target Organ Toxicity	Category 1 (Central Nervous System, heart,
(Single Exposure)	kidneys, respiratory system, Hematopoietic
	System)
Specific Target Organ Toxicity	Category 3
(Single Exposure)	
Specific Target Organ Toxicity	Category 1 (Central Nervous System, heart,
(Repeated Exposure)	respiratory system, kidneys)

The above list does not include category being non-classifiable or not-applicable.



Product Name: DD400 Cyan SDS No. 037-W400706 First issue: 2015/09/15 Revised: 2019/12/16

[GHS Label Elements] Symbol

> Signal Word Danger

Hazard Statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation
- H360 May damage fertility or the unborn child
- H370 Causes damage to organs (Central Nervous System, heart, kidneys, respiratory system, Hematopoietic System).

H335 May cause respiratory irritation.

H336 May cause drowsiness and dizziness.

H372 Causes damage to organs through prolonged or repeated exposure (Central Nervous System, heart, respiratory system, kidneys).

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's operation manual before use.

P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe gas/mist.

P264 Wash hands and eyes thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection. [Response]

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

[Storage]

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with

local/regional/national/international regulation (to be specified).

Other Hazards

None known.



NFPA Rating (scale 0 - 4) Health = 2 Flammability = 1 Instability = 0 Special =

3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Water	35-45	7732-18-5
2	Ethylene glycol	25-35	107-21-1
3	wetting agent/moistening agents	15-25	Trade Secret
4	Dispersant	1-10	Trade Secret
5	dispersed dye/dispersive dye	0.5-10	Trade Secret
6	Additives	<10	Trade Secret
7	1,2-Benzisothiazol-3(2H)-one	<0.1	2634-33-5

4. First Aid Measures

Inhalation	Remove to fresh air and keep at rest in a position comfortable for
	breathing. Call a POISON CENTER or doctor/physician if you feel
	unwell.
Eye Contact	: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing. If eye irritation
	persists, get medical advice/attention.
Skin Contact	: Wash with plenty of soap and water. Take off contaminated clothing
	and wash before reuse. If skin irritation occurs: Get medical
	advice/attention.
Ingestion	Call a POISON CENTER or doctor/physician if you feel unwell.
	Rinse mouth.
Most Important	Acute
Symptoms/Effects	skin irritation, eye irritation, respiratory tract irritation, central
	nervous system depression, central nervous system damage, heart
	damage, kidney damage, respiratory system damage, hematopoietic

MINCIKI Safety Data Sheets

	system damage.
	Delayed
	reproductive effects, central nervous system damage, heart damage,
	respiratory system damage, kidney damage.
Indication of Immediate	: Treat symptomatically and supportively.
Medical Attention and	
Special Treatment	
Needed, If Needed	

5. Fire Fighting Measures

Flammable Properties	: Not Flammable
Extinguishing Media	: carbon dioxide, regular dry chemical, water spray, alcohol resistant foam.
Unsuitable Extinguishing	: Do not scatter spilled material with high-pressure water streams.
Media	
Special Hazards Arising	: Negligible fire hazard during intended use. Irritating and/or toxic
from the Chemical	fumes and gases may be emitted upon the product's decomposition.
Hazardous Combustion	: oxides of carbon
Products	
Fire Fighting Measures	: Move material from fire area if it can be done without risk. Use
	extinguishing agents appropriate for surrounding fire. Do not
	scatter spilled material with high-pressure water streams. Cool
	containers with water spray until well after the fire is out. Avoid
	inhalation of material or combustion by-products. Stay upwind and
	keep out of low areas.
Special Protective	: Wear full protective fire fighting gear including self contained
Equipment and	breathing apparatus (SCBA) for protection against possible
Precautions for	exposure.
Firefighters	

6. Accidental Release Measures

Personal Precautions,: Wear personal protective clothing and equipment, see Section 8.Protective Equipmentand Emergency

MIMCIKI[®] Safety Data Sheets

Procedures	
Methods and Materials	Avoid heat, flames, sparks and other sources of ignition. Stop leak
for Containment and	if possible without personal risk. Reduce vapors with water spray.
Cleaning Up	Small spills: Absorb with sand or other non-combustible material.
	Collect spilled material in appropriate container for disposal.
	Large spills: Dike for later disposal. Keep unnecessary people away,
	isolate hazard area and deny entry. Stay upwind and keep out of low
	areas.
Environmental	: Avoid release to the environment.
Precautions	

7. Handling and Storage

Precautions for Safe	[:] Obtain special instructions before use. Do not handle until all safety		
Handling	precautions have been read and understood. Do not breathe vapor or		
	mist. Use only outdoors or in a well-ventilated area. Avoid contact		
	with eyes, skin and clothing. Do not eat, drink or smoke when using		
	this product. Wear protective gloves/clothing and eye/face protection.		
	Wash thoroughly after handling.		
Conditions for Safe	Store in a well-ventilated place. Keep container tightly closed.		
Storage, including any	Store locked up.		
Incompatibilities	Further information on storage conditions: Store and handle in		
	accordance with all current regulations and standards. Keep cool.		
	Keep separated from incompatible substances.		
Incompatible Materials	: oxidizing materials, bases, acids, reducing agents, metals		

8. Exposure Controls / Personal Protection

Exposure Limit Values	Ethylene glycol (107-21-1)	
	ACGIH: 25 ppm TWA vapor fraction	
	50 ppm STEL vapor fraction ; 10 mg/m3 STEL inhalable	
	particulate matter, aerosol only	
	Europe: 20 ppm TWA ; 52 mg/m3 TWA	
	Possibility of significant uptake through the skin	
	40 ppm STEL ; 104 mg/m3 STEL	
	Mexico: 100 mg/m3 Ceiling aerosol	



Product Name: DD400 Cyan SDS No. 037-W400706 First issue: 2015/09/15 Revised: 2019/12/16

ACGIH - Threshold	: There are no biological limit values for any of this product's
Limit Values - Biological	components.
Exposure Indices (BEI)	
Exposure Controls	
Occupational Exposure C	ontrols
Appropriate	: Provide local exhaust or process enclosure ventilation system.
Engineering Controls	Ensure compliance with applicable exposure limits.
Individual Protection Meas	sures, such as Personal Protective Equipment
Respiratory Protection	: Consult with a health and safety professional for specific respirators appropriate for your use.
Glove	: Wear appropriate chemical resistant gloves.
Recommendations	
Eye /Face	: Wear splash resistant safety goggles. Provide an emergency eye wash
Protection Safety Glasses	fountain and quick drench shower in the immediate work area.
Skin Protection	: Wear appropriate chemical resistant clothing.

9. Physical and Chemical Properties

Appearance	cyan liquid	Physical State	liquid
Odor	slight odor	Color	cyan
Odor Threshold	Not available	pH	6 - 9 (25 °C)
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available



Autoignition	Not available	Flash Point	(Not flammable)
Temperature			
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1 - 1.5 (25 °C)
Water Solubility	(Easily soluble)	Partition coefficient:	Not available
		n-octanol/water	
Viscosity	2 - 10 cPs (25 °C)	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	liquid	Molecular Weight	Not available

Other Information

No additional information is available.

10. Stability and Reactivity

ntainers may
h incompatible
als.
h

11. Toxicological Information

Information on Likely Routes of Exposure								
: irritation, reproductive effects, organ damage.								
: irritation								
: irritation								
: irritation, organ damage								

Acute and Chronic Toxicity

Component Analysis -	: The components of this material have been reviewed in various
----------------------	---

MIMCIKI[®] Safety Data Sheets

Product Name: DD400 Cyan SDS No. 037-W400706 First issue: 2015/09/15 Revised: 2019/12/16

LD50/LC50sources and the following selected endpoints are published:Water (7732-18-5)Oral LD50 Rat >90 mL/kgEthylene glycol (107-21-1)Oral LD50 Rat 4700 mg/kgDermal LD50 Rat 10600 mg/kgDermal LD50 Rat 10600 mg/kg1,2-Benzisothiazol-3(2H)-one (2634-33-5)Oral LD50 Rat 1020 mg/kgProduct Toxicity Data - Acute Toxicity EstimateDermal > 2000 mg/kgInhalation - Vapor > 20 mg/LOral > 2000 mg/kg
Oral LD50 Rat >90 mL/kg Ethylene glycol (107-21-1) Oral LD50 Rat 4700 mg/kg Dermal LD50 Rat 10600 mg/kg 1,2-Benzisothiazol-3(2H)-one (2634-33-5) Oral LD50 Rat 1020 mg/kg Product Toxicity Data - Acute Toxicity Estimate Dermal > 2000 mg/kg Inhalation – Vapor > 20 mg/L
Ethylene glycol (107-21-1)Oral LD50 Rat 4700 mg/kgDermal LD50 Rat 10600 mg/kg1,2-Benzisothiazol-3(2H)-one (2634-33-5)Oral LD50 Rat 1020 mg/kgProduct Toxicity Data - Acute Toxicity EstimateDermal > 2000 mg/kgInhalation - Vapor > 20 mg/L
Oral LD50 Rat 4700 mg/kg Dermal LD50 Rat 10600 mg/kg 1,2-Benzisothiazol-3(2H)-one (2634-33-5) Oral LD50 Rat 1020 mg/kg Product Toxicity Data - Acute Toxicity Estimate Dermal > 2000 mg/kg Inhalation – Vapor > 20 mg/L
Dermal LD50 Rat 10600 mg/kg 1,2-Benzisothiazol-3(2H)-one (2634-33-5) Oral LD50 Rat 1020 mg/kg Product Toxicity Data - Acute Toxicity Estimate Dermal > 2000 mg/kg Inhalation – Vapor > 20 mg/L
1,2-Benzisothiazol-3(2H)-one (2634-33-5) Oral LD50 Rat 1020 mg/kg Product Toxicity Data - Acute Toxicity Estimate Dermal > 2000 mg/kg Inhalation – Vapor > 20 mg/L
Oral LD50 Rat 1020 mg/kg Product Toxicity Data - Acute Toxicity Estimate Dermal > 2000 mg/kg Inhalation – Vapor > 20 mg/L
Product Toxicity Data - Acute Toxicity Estimate Dermal > 2000 mg/kg Inhalation – Vapor > 20 mg/L
Dermal > 2000 mg/kg Inhalation – Vapor > 20 mg/L
Inhalation – Vapor > 20 mg/L
Oral > 2000 mg/kg
Immediate Effects : skin irritation, eye irritation, respiratory tract irritation, central
nervous system depression, central nervous system damage, heart
damage, kidney damage, respiratory system damage, hematopoietic
system damage.
Delayed Effects : reproductive effects, central nervous system damage, heart damage,
respiratory system damage, kidney damage.
Irritation/Corrosivity : skin irritation, eye irritation.
Data
Respiratory : No information available for the product.
Sensitization
Dermal Sensitization : No information available for the product.
Component : Ethylene glycol 107-21-1
Carcinogenicity ACGIH: A4 - Not Classifiable as a Human Carcinogen
Germ Cell Mutagenicity : No information available for the product.
Tumorigenic Data : No information available for the product.
Reproductive Toxicity : Available data characterizes components of this product as reproductive hazards.
Specific Target Organ : central nervous system, heart, kidneys, respiratory system,
Toxicity - Single hematopoietic system
Exposure
Specific Target Organ : central nervous system, heart, respiratory system, kidneys
Toxicity - Repeated
Exposure
Aspiration hazard : Not expected to be an aspiration hazard.
Medical Conditions : No data available.

MINCIKI[®] Safety Data Sheets

Aggravated by Exposure

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity	Ethylene glycol (107-21-1)
	Fish: LC50 96 h Oncorhynchus mykiss 41000 mg/L; LC50 96 h
	Oncorhynchus mykiss 14 - 18 mL/L [static]; LC50 96 h Lepomis
	macrochirus 27540 mg/L [static]; LC50 96 h Oncorhynchus mykiss
	40761 mg/L [static]; LC50 96 h Pimephales promelas 40000 - 60000
	mg/L [static]; LC50 96 h Poecilia reticulata 16000 mg/L [static]
	Algae: EC50 96 h Pseudokirchneriella subcapitata 6500 - 13000 mg/L
	IUCLID
	Invertebrate: EC50 48 h Daphnia magna 46300 mg/L IUCLID
Persistence and	: No information available for the product.
Degradability	
Bioaccumulative	: No information available for the product.
Potential	
Mobility	: No information available for the product.

13. Disposal Considerations

Disposal Methods	: Comply with all USA, national and local regulations.
	Do not dump this product into sewers, on the ground or into any body
	<u>of water.</u>
Disposal of	: Empty containers may contain product residue. Dispose in
Contaminated	accordance with all applicable regulations.
Packaging	
Component Waste	: The U.S. EPA has not published waste numbers for this product's
Numbers	components.

14. Transport Information

Check a thing without a leak in a container. Perform prevention of collapse of cargo surely. *M*imaki[®] Safety Data Sheets

US DOT Information	
UN/NA#	: Not regulated
TDG Information	
UN/NA#	: Not regulated
International Bulk	: This material contains one or more of the following chemicals
Chemical Code	required by the IBC Code to be identified as dangerous chemicals in
	bulk.
	Ethylene glycol 107-21-1
	IBC Code: Category Y

15. Regulatory Information

U.S. Federal Regulations	required Appendi 302.4), T	terial contai l to be identi x A), SARA S ISCA 12(b), a e glycol (107	fied under S Section 313 and/or requi	SARA S (40 CF	ection 3 R 372.6	302 (40 5), CEF	CFR 3 RCLA (55 40 CFR	,
		313: 1.0 % d				`			
		LA: 5000 lb	•	0		•			
SARA Section 311/312	: Reprodu	ictive Toxicit	y; Skin Cor	rosion/l	Irritatio	on; Serio	ous Ey	е	
(40 CFR 370 Subparts B and C) 2017 reporting categories	Damage	/Eye Irritati	on; Specific	Target	Organ	Toxicity	7.		
-	· 171 C 11					C . 1	C 11		
U.S. State Regulations		owing compo		ar on or	ne or mo	ore of th	ie follo	wing	
	state haz	ardous subst	tances lists						
	Com	ponent	CAS	CA	MA	MN	NJ	PA	
	Ethyle	ne glycol	107-21-1	Yes	Yes	Yes	Yes	Yes	
California Proposition		: WARNING	r.						
65		This produ	ct can expos	se you t	o chem	icals in	cluding	ŗ	
65 This product can expose you to chemicals including Ethylene glycol, which is known to the State of California									to
		cause birth	defects or o	other re	produc	tive hai	rm. Foi	r more	
		information	n go to www	v.P65Wa	arnings	.ca.gov.			
Canadian WHMIS	: Compon	ents of this i	material ha	ve been	checke	d again	ist the		
Ingredient Disclosure	Canadian WHMIS Ingredients Disclosure List. The List is composed							d	
List (IDL)	of chemi	cals which n	nust be iden	ntified o	on MSD	Ss if th	ey are	include	d

of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled



Products Regulations and are present above the threshold limits listed on the IDL

Ethylene glycol (107-21-1) 1 %

Component Analysis - Inventory

Water (7732-18-5)

wa	ter(7)	104 1	.0 0)											
US	CA	EU	AU	PH	JP	- JP	- KR KECI - KR K		KR KECI -	KR - REACH	CN	NZ	МХ	TW
					ENCS	ISHL	Annex 1		Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	No	No		Yes	No	No	Yes	Yes	Yes	Yes
Ethylene glycol (107-21-1)														
US	CA	EU	AU	PH	JP	- JP	-	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL		Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes		Yes	No	No	Yes	Yes	Yes	Yes
wetting agent/moistening agents (Trade Secret)														
US	CA	EU	AU	PH	JP -	JP -	K	CR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	ISHL Annex 1		Annex 2 CCA					
No	No	No	No	No	No	No	N	lo	No	No	No	No	No	No
Dispersant (Trade Secret)														
US	CA	EU	AU	PH	JP -	JP -	K	R KECI -	KR KECI -	KR - REACH	CN	NZ	МХ	TW
					ENCS	ISHL	А	nnex 1	Annex 2	CCA				
No	No	No	No	No	No	No	N	lo	No	No	No	No	No	No
disp	oerse	d dye	/disp	ersiv	e dye (Tr	ade Seci	ret)						
US	CA	EU	AU	PH	JP -	JP -	K	R KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	А	nnex 1	Annex 2	CCA				
No	No	No	No	No	No	No	N	lo	No	No	No	No	No	No
Add	litive	s (Tra	ide S	ecret)									_
US	CA	EU	AU	PH	JP -	JP -	K	R KECI -	KR KECI -	KR · REACH	CN	NZ	MX	TW
					ENCS	ISHL	А	nnex 1	Annex 2	CCA				
No	No	No	No	No	No	No	N	lo	No	No	No	No	No	No
1,2-	Benz	isoth	iazol	-3(2F	I)-one (2	334-33-5)							
US	CA	EU	AU	PH	JP	- JP	-	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL		Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes		Yes	No	No	Yes	Yes	Yes	Yes
						-					-			-

16. Other Information

Μιπακι

Product Name: DD400 Cyan SDS No. 037-W400706 First issue: 2015/09/15 Revised: 2019/12/16

Safety Data Sheets

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS -Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU -European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; ICAO - International Civil Aviation Organization; IDL -Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow -Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts[™] - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX – Mexico; NDSL – Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID -European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL -Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW -Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

Disclaimer:

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in



Product Name: DD400 Cyan SDS No. 037-W400706 First issue: 2015/09/15 Revised: 2019/12/16

combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.